

Receiving Report

Date: 14/4/15

Batch No: 1128880

Supplier: Tw m/s A L

Dart P/O: 23725

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection DAS ☒ N/A ☐
 Work Order 16 ☒ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver QC12

Production/Admin: 14/4/15
 Date
 Received/Costing
 Initial

Location

Tuesday, April 15, 2014 1:10:44 PM

PO ID	Receipt Dates
PO 23725	4/15/2014 to 4/15/2014

All Item ID/GL/WOs All Rec. Employees

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Qty	Recv Date/ Emp	Rev Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name											
PO23725	1		VU-TW/M001 TW Metals								
			M6061T6T0.625W.1 f 25		4/16/2014	4/15/2014	60.0000	\$5.15	0.0000	0	\$309.00
USD	No		6061-T6 RD Tube 0.625 X.125W m128855	f	60.0000	DES102		\$309.00	0.0000	0	
	2		M6061T6T0.3125W. f 058	f	4/16/2014	4/15/2014	300.0000	\$2.50	0.0000	0	\$750.00
	No		ALUM TUBE .3125 x .058w m128855	f	300.0000	DES102		\$750.00	0.0000	0	
	3		71401-45		4/16/2014	4/15/2014	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m128855		1.0000	DES102		\$0.00	0.0000	0	
Total Received Quantity:											361.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,059.00
Total Balance Due Quantity:											0.0000



PACKING SLIP

ORDER NO.: 60540752 FROM: CRAN PAGE 1

CUST NUMBER: 1203820 NET WGT: 30.233 REQ.DATE: 04/16/14 CONFIRMED
SOLD TO: SHIP TO:
DART AEROSPACE LTD DART AEROSPACE LTD
1270 ABERDEEN ST 1270 ABERDEEN ST
HAWKESBURY ON HAWKESBURY ON
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 04/11/14
TERMS: NET 30 DAYS VIA: COMMON CARRIER
F.O.B.: SHIPPING POINT FREIGHT: PREPAID
CUST ORD NO.: PO23725 RELEASE NO.:
RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0001	42588 D6061-T6 5/8 OD X .125 WA		12 FT ML
QTY:	60.000 FT	WT: 13.853 PC:	5 SHP: 60.000 FT

PART#: M6061T6T0.625W.125
** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **
ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49285271 HT:28705495 PC: 5 SLB/CL:200475
MLT:UNITED STATES MFG:UNITED STATES

0002	41723 D6061-T6 5/16 OD X .058 WA		12 FT ML
QTY:	300.000 FT	WT: 16.380 PC:	25 SHP: 300.000 FT

PART#: M6061T6T0.3125W.058
** 1 TEST REPORTS REQUIRED **
** 1 CERTS REQUIRED **
ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00
PO:49306182 HT:30728614 PC: 25 SLB/CL:244443
MLT:UNITED STATES MFG:UNITED STATES

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	REDDICRATE	1.000	52.000		12.6000	
		1.000	52.000			

BY: MS
RT 000- UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED _____

DATE FILLED _____

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60540752

FROM: CRAN

PAGE 2

CUST NUMBER: 1203820 NET WGT:

30.233 REQ.DATE: 04/16/14 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKESBURY ON

CANADA

CN K6A 1K7

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

SHIP BY:

04/11/14

TERMS:

NET 30 DAYS

27 ENGLEHARD DRIVE

F.O.B.:

SHIPPING POINT

MONROE TWP

NJ 08831

CUST ORD NO.:

PO23725

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk Cgm McNamee

Date: 4/10/14

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.

287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 162188

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49285271 LINE 001	200475	24A062501250001

SOLD: TW METALS
TO 760 CONSTITUTION DR.
SUITE 204
EXTON, PA 19341

SHIP: TW METALS - CRANBURY
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
1308 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P WW-T-700/6F AM 2 ASTM-B-210-12 AMS-WW-T-700/6B LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .6250 +.0040 -.0040 ID WALL .1250 +.0060 -.0060	1428 FT 5 14/04/16	01/18/13

MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	45,559	40,664	24		

DESTRUCTIVE TESTS

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

TW METALS
JAN 21 2013
ACCEPTABLE BY
R E P O R T S

NON-DESTRUCTIVE TESTS

CHEMICAL COMPOSITION

ALLOY: 6061	HEAT:	TRACEABILITY #: 28705495							
		RAW MATL VENDOR: PT23938 - Kaiser Aluminum							
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
Min	0.40		0.15		0.80	0.04			Rem.
Max	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL									

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Melted and Manufactured in USA
QMS Registered to ISO 9001: 2008

By:

Art Onaitis
QA Manager

01/18/13


KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: PT23938-		CUSTOMER PART NUMBER: SPIRIT-353519		PRODUCT DESCRIPTION: 15.300 LB/PC +.500 LB/-0 LB 1.500 OD X .175 WALL ESRT	
KAISER ORDER NUMBER: 314925	LINE ITEM: 001	SHIP DATE: 11/16/2012	KAISER LOT NUMBER: 50022-103	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 2947.000 LB	QUANTITY: 189.000 PCS	B/L NUMBER: 004028	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 17.781 FT
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50022-103	0001	001	16.4	5.1	30.6	NA N/A	N/A	N/A
50022-103	0001	002	16.4	4.7	31.1	NA N/A	N/A	N/A
50022-103	0001	003	16.5	4.7	32.9	NA N/A	N/A	N/A
50022-103	0001	004	16.5	4.8	32.3	NA N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F71039	.64	.32	.21	.05	.96	.07	.05	.02	.00	.00	.00	.01	.02
F71037	.64	.34	.21	.05	.94	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-02 ASTM-B221-08 ASTM-B345-02 AMS-QQ-A-200/8 TYPE 1 UNS#96061 ACTUAL
CHEMISTRY Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Ron Walls,

Ron Walls

Plant Serial: 00007805
Kaiser Order Number: 314925
Line Item: 001



A COMPANY OF MUELLER INDUSTRIES

PRECISION TUBE CO.

287 WISSAHICKON AVE.
NORTH WALES PA 19454

Control No: 165307

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	CUST. ORD. NO.	PRECISION TUBE P/N
49306182 LINE 001	244443	24A031250580005

SOLD: TW METALS
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

SHIP: TW METALS
TO 27 ENGLEHARD DRIVE
MONROE TWP, NJ 08831
UNITED STATES

QUANTITY ORD.	DESCRIPTION	QTY. SHIPPED	DATE SHIPPED
3300 FT	METAL - 6061 ALUM TEMPER - T6 SPEC - AMS 4082P ASTM-B-210-12 AMS-WW-T-700/6B LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3125 +.0030 -.0030 ID WALL .0580 +.0040 -.0040	3300 FT	01/03/14

12/04/14

REPORTS

JAN 6 2014

PRECISION TUBE

MECHANICAL PROPERTIES

SAMPLE #	TENSILE STRENGTH (P.S.I.)	YIELD STRENGTH (P.S.I.)	ELONGATION IN 2 INCHES (%)	ROCKWELL HARDNESS	AVERAGE GRAIN SIZE (MM.)
1	46,185	41,604	15		

DESTRUCTIVE TESTS

Comments: FAR BAA COMPLIES, DFARS BAA COMPLIES, FAR TAA COMPLIES

NON-DESTRUCTIVE TESTS

EDDY CURRENT: PASS

CHEMICAL COMPOSITION

CHEMICAL COMPOSITION									
ALLOY: 6061		HEAT:		TRACEABILITY #: 30728614					
				RAW MATL VENDOR: PT34452 - Kaiser Aluminum					
	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al
Min	0.40		0.15		0.80	0.04			Rem.
Max	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	
OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL									

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgement. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2002/95/EU).

Manufactured in the USA
QMS Registered to ISO 9001: 2008

By:

Art Onaitis
QA Manager

01/03/14

Page: 1 of 1

KAISER ALUMINUM FABRICATED PRODUCTS


Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

CUSTOMER PO NUMBER: PT34452		CUSTOMER PART NUMBER: SPIRIT-371850		PRODUCT DESCRIPTION: 5.400 LB/PC .500 LB/O LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: 316441	LINE ITEM: 001	SHIP DATE: 11/15/2013	KAISER LOT NUMBER: 50751-259	ALLOY: 6061	TEMPER: O
WEIGHT SHIPPED: 10490.000 LB	QUANTITY: 1928.000 PCS	B/L NUMBER: 004329	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 13.984 FT
SHIP TO: PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA			SOLD TO: MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA		



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	%Elong in 2	HARDNESS	CONDUCT.	BEND
50751-259	0001	0001	16.8	4.8	29.3	N/A	N/A	N/A
50751-259	0001	001	16.4	4.9	27.7	NA N/A	N/A	N/A
50751-259	0001	002	16.5	5.2	27.3	NA N/A	N/A	N/A
50751-259	0001	003	16.4	5.0	26.9	NA N/A	N/A	N/A
50751-259	0001	004	16.7	4.9	28.7	NA N/A	N/A	N/A
50751-259	0001	005	16.4	5.4	27.2	NA N/A	N/A	N/A
50751-259	0001	006	16.8	4.8	29.3	NA N/A	N/A	N/A
50751-259	0001	007	16.8	6.0	30.2	NA N/A	N/A	N/A
50751-259	0001	008	17.1	5.1	28.7	NA N/A	N/A	N/A
50751-259	0001	009	16.6	4.7	29.6	NA N/A	N/A	N/A
50751-259	0001	010	16.7	5.0	28.5	NA N/A	N/A	N/A
50751-259	0001	011	16.8	4.7	29.7	NA N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	.0
F72291	.60	.29	.22	.05	.98	.07	.04	.02	.00	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILITIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

Plant Serial: 00009658
Kaiser Order Number: 316441
Line Item: 001

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99352

*Best in
Class*

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

JOSEPH AMES, QUALITY MANAGER

Jph

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 TO 0.625" x 0.125"

PO / BATCH NO.: 23725 / M128855

DATE: April 16th, 2014

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 0.625" x 0.125"

QUANTITY RECEIVED: 60.01

THICKNESS RECEIVED: 0.626 / 0.124

QUANTITY INSPECTED: 60.01

SHEET SIZE ORDERED:

QUANTITY REJECTED:

SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/>	N	
CORROSION	Y	<input checked="" type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/>	N	
CORRECT MATERIAL	<input checked="" type="radio"/>	N	
CORRECT THICKNESS	<input checked="" type="radio"/>	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/>	
CORRECT MATERIAL	<input checked="" type="radio"/>	N	WW-T-70016B.
CORRECT REF # TO LINK CERT	Y	N	28705495
CORRECT MATERIAL IDENTIFICATION	Y	N	M128855 6061T6 0.625" x 0.125"
CORRECT M# ON THE MATERIAL	Y	N	M128855
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: <u> </u>		
DATE: <u>16 9-89 14/04/16</u>	DATE: <u>14/4</u>		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 6061T6 0.3125 x 0.058
 DATE: April 16th, 2016

PO / BATCH NO.: M12855 / 23725

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 300'
 QUANTITY INSPECTED: 300'
 QUANTITY REJECTED:

THICKNESS ORDERED: 0.3125 x 0.058
 THICKNESS RECEIVED: 0.310' x 0.055'
 SHEET SIZE ORDERED:
 SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	N	
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	N	WW-T-700/6
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	30728614
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	6061T6 0.3125 x 0.058
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS 16 9-80</u>	SIGNED OFF BY: <u> </u>		
DATE: <u>14/04/16</u>	DATE: <u>4/4</u>		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23725**

Purchase Order Date 4/9/2014

PO Print Date 4/9/2014

Page Number 1 of 2

Order From :

VU-TWM001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

FAKED
C2146469

Contact Name

Vendor Phone 585 768 5600

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

USD

FOB

FCA - (Free Carrier)

Ship To Contact

Ship To Phone

Ship Via: YRC COLLECT

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M6061T6T0.625W.125	6061-T6 RD Tube 0.625 X.125W	4/16/2014 Yes 4/16/2014		60.00 f	\$5.15	\$309.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$309.00
2	M6061T6T0.3125W.058	ALUM TUBE .3125 x .058w	4/16/2014 Yes 4/16/2014		300.00 f	\$2.50	\$750.00
MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR ASTM B241							
Line Total:							\$750.00

Note:

4/9/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO23725**

Purchase Order Date 4/9/2014

PO Print Date 4/9/2014

Page Number 2 of 2

Order From :
TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

VU-TWM001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 585 768 5600

Ship To Contact
Ship To Phone
Ship Via: YRC COLLECT
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency USD
FOB FCA – (Free Carrier)

3	71401-45	PROCUREMENT QUALITY CLAUSES	4/16/2014	1.00	\$0.00	\$0.00
			No 4/16/2014			
		Procurement Quality Clauses A005 right of entry A012 chemical and physical test report A016 personnel qualification A017 raw material identification A026 certification of material conformance A041 quality management system A042 dart notification by supplier A043 retention of quality documents				

Line Total: \$0.00

PO Total: \$1,059.00

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 4/9/2014